



# MPM Motor Oil 0W-20 Premium Synthetic EcoBlue

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 27-5-2021 Revision date: 21-6-2023 Supersedes: 31-3-2022 version: 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : MPM Motor Oil 0W-20 Premium Synthetic EcoBlue  
Product code : 05000ECB  
Type of product : Other engine, gear and lubricating oils.  
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use, Industrial use  
Industrial/Professional use spec : Non-dispersive use  
Used in closed systems  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available.

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

MPM International Oil Company  
Cyclotronweg 1  
2629 HN Delft - Nederland  
T +31 (0)15 2514030  
[info@mpmoil.nl](mailto:info@mpmoil.nl) - [www.mpmoil.com](http://www.mpmoil.com)

#### 1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available.

# MPM Motor Oil 0W-20 Premium Synthetic EcoBlue

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains: C14-16-18 Alkylphenol, Molybdeenpolysulfide-alkyl dithiocarbamaat longchain complex. May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments : Highly refined mineral oil, contains <3% (w/w) DMSO extract, according to IP346

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(nonylphenyl)amine	CAS-No.: 36878-20-3 EC-No.: 253-249-4 REACH-no: 01-2119488911-28	$\geq 1 - < 1,49$	Aquatic Chronic 4, H413
C14-16-18 Alkylphenol	CAS-No.: 1190625-94-5 EC-No.: 931-468-2 REACH-no: 01-2119498288-19	$\geq 1 - \leq 1,49$	Skin Sens. 1, H317 STOT RE 2, H373
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726-33	$\geq 0,1 - < 0,99$	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Zinc bis(O,O-diisooctyl) bis(dithiophosphate)	CAS-No.: 28629-66-5 EC-No.: 249-109-7 REACH-no: 01-2119953278-28	$\geq 0,1 - < 0,49$	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Molybdeenpolysulfide-alkyl dithiocarbamaat longchain complex	EC-No.: 457-320-2 REACH-no: 01-0000019337-66	$\geq 0,1 - < 0,49$	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412

### Specific concentration limits

Name	Product identifier	Specific concentration limits
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726-33	( 6,25 $\leq$ C < 100) Skin Irrit. 2, H315 ( 10 $\leq$ C < 12,5) Eye Irrit. 2, H319 ( 12,5 $\leq$ C < 100) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

# MPM Motor Oil 0W-20 Premium Synthetic EcoBlue

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

After inhalation	: Not required.
After skin contact	: Wash skin with mild soap and water.
After eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
After ingestion	: Do NOT induce vomiting. Rinse mouth out with water. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

After inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
After skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
After eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
After ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray, powder, foam and CO <sub>2</sub> .
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available.

#### 5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: If spilled, may cause the floor to be slippery.
------------------	---

##### 6.1.1. For non-emergency personnel

Protective equipment	: Gloves. Safety glasses.
Emergency procedures	: Do not breathe vapours.

##### 6.1.2. For emergency responders

Protective equipment	: Wear suitable protective clothing and gloves. Safety glasses.
----------------------	---

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Detergent. Clean up any spills as soon as possible, using an absorbent material to collect it.
Other information	: Spill area may be slippery. Use suitable disposal containers.

# MPM Motor Oil 0W-20 Premium Synthetic EcoBlue

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.4. Reference to other sections

No additional information available.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Handling temperature	: < 40 °C
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Store in a closed container.
Storage conditions	: Keep container closed when not in use.
Storage temperature	: ≤ 40 °C
Storage area	: Store in dry, well-ventilated area.

### 7.3. Specific end use(s)

No additional information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

Molybdeenpolysulfide-alkyl dithiocarbamaat longchain complex	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOELV TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>

#### 8.1.2. Recommended monitoring procedures

No additional information available.

#### 8.1.3. Air contaminants formed

No additional information available.

#### 8.1.4. DNEL and PNEC

Additional information : Based on ACGIH TLV, a concentration of 5 mg/m<sup>3</sup> oilspray (TWA, 8 hour workday) is recommended.

#### 8.1.5. Control banding

No additional information available.

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Technical measures:

No additional information available.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

Gloves. Safety glasses.

# MPM Motor Oil 0W-20 Premium Synthetic EcoBlue

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety goggles

#### 8.2.2.2. Skin protection

##### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

##### Hand protection:

Protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,4		EN ISO 374

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

#### 8.2.2.4. Thermal hazards

No additional information available.

#### 8.2.3. Environmental exposure controls

No additional information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Amber.
Appearance	: Oily liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 200 °C @ ASTM D92
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 40 mm <sup>2</sup> /s @ 40°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 843 kg/m <sup>3</sup> @ 15°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available

# MPM Motor Oil 0W-20 Premium Synthetic EcoBlue

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available.

#### 9.2.2. Other safety characteristics

No additional information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

No naked flames, sparks, and do not smoke.

### 10.5. Incompatible materials

Strong oxidizing agent. Acids and bases.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Bis(nonylphenyl)amine (36878-20-3)

LD50 oral rat	> 5000 mg/kg OECD 401
LD50 oral	> 2000 mg/kg OECD 402

#### Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)

LD50 oral rat	2600 mg/kg 67/548/EEG annex V
LD50 dermal rabbit	> 3160 mg/kg bodyweight OECD 402
LC50 Inhalation - Rat	> 2 mg/l 1h OECD 403 -read across
ATE CLP (oral)	2600 mg/kg bodyweight

# MPM Motor Oil 0W-20 Premium Synthetic EcoBlue

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Molybdeenpolysulfide-alkyl dithiocarbamaat longchain complex	
LD50 oral rat	> 2000 mg/kg OECD 425
LD50 dermal rat	> 2000 mg/kg OECD 402

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met.)
Respiratory or skin sensitisation	: Not classified. (The component "C14-16-18 alkylphenol" is an impurity of a substance present in the product. On the basis of tests conducted with that substance, the classification as a skin sensitizer of the impurity 'C14-16-18 alkylphenol' is rejected.)
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

C14-16-18 Alkylphenol (1190625-94-5)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

MPM Motor Oil 0W-20 Premium Synthetic EcoBlue	
Viscosity, kinematic	40 mm <sup>2</sup> /s @ 40°C

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
--	--

#### 11.2.2. Other information

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Bis(nonylphenyl)amine (36878-20-3)	
LC50 fish 1	> 100 mg/l OECD 203 (Danio rerio @96h)
EC50 Daphnia 1	> 100 mg/l OECD 202 (Daphnia magna)
EC50 72h - Algae [1]	> 100 mg/l OECD 201 (Desmodesmus subspicatus)

Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)	
LC50 fish 1	4,5 mg/l OECD 203 (oncorhynchys mykiss, 96h)
EC50 Daphnia 1	5,4 mg/l OECD 202, (Daphnia magna, 72h)
EC50 72h - Algae [1]	2,1 mg/l Selenastrum capricornutum UTEX 1648

Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)	
LC50 fish 1	3,8 mg/l OECD 203 (Oncorhynchus mykiss)
EC50 Daphnia 1	510 mg/l OECD 202 (Daphnia magna)
NOEC (acute)	1.8 mg/l OECD 203 (Oncorhynchus mykiss)

# MPM Motor Oil 0W-20 Premium Synthetic EcoBlue

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Molybdeenpolysulfide-alkyl dithiocarbamaat longchain complex</b>	
EC50 Daphnia 1	50 mg/l OECD 202 (Daphnia magna, 48h)
EC50 72h - Algae [1]	14 mg/l OECD 201 (Pseudokirchneriella subcapitata)
NOEC (acute)	94,8 mg/l
NOEC chronic crustacea	100 mg/l @21d - Daphnia Magna (OECD 211)
NOEC chronic algae	4,05 mg/l

### 12.2. Persistence and degradability

<b>MPM Motor Oil 0W-20 Premium Synthetic EcoBlue</b>	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.

<b>Bis(nonylphenyl)amine (36878-20-3)</b>	
Persistence and degradability	Not readily biodegradable.
Biodegradation	1 % @28d

<b>Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)</b>	
Biodegradation	1,5 % OECD 301B 28d

<b>Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)</b>	
Persistence and degradability	Not readily biodegradable.

<b>Molybdeenpolysulfide-alkyl dithiocarbamaat longchain complex</b>	
Persistence and degradability	Not readily biodegradable.
Biodegradation	23 % OECD 301 (29d)

### 12.3. Bioaccumulative potential

<b>Bis(nonylphenyl)amine (36878-20-3)</b>	
Log Pow	> 7,6
Bioaccumulative potential	Bioaccumulation possible.

<b>Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)</b>	
Log Pow	0,9 @ 23C

<b>Zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)</b>	
Log Pow	2,87 @20°C

<b>Molybdeenpolysulfide-alkyl dithiocarbamaat longchain complex</b>	
BCF fish 1	88 OECD 305 (Cyprinus carpio, 25C)
Bioconcentration factor (BCF REACH)	88 OECD 305 (Cyprinus carpio, 25C - 0.05mg/l)

### 12.4. Mobility in soil

<b>MPM Motor Oil 0W-20 Premium Synthetic EcoBlue</b>	
Soil	Prevent soil and water pollution.

<b>Bis(nonylphenyl)amine (36878-20-3)</b>	
Soil	Adsorbs into the soil.



# MPM Motor Oil 0W-20 Premium Synthetic EcoBlue

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) (93819-94-4)

Soil	Adsorbs into the soil.
------	------------------------

### Molybdeenpolysulfide-alkyl dithiocarbamaat longchain complex

Soil	Adsorbs into the soil.
------	------------------------

## 12.5. Results of PBT and vPvB assessment

No additional information available.

## 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The product does not contain any substances with endocrine disrupting properties.

## 12.7. Other adverse effects

No additional information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Additional information : This material and its container must be disposed of in a safe way, and as per local legislation.

## SECTION 14: Transport information

In accordance with ADR / IMDG

### 14.1. UN number or ID number

UN-No. : Not regulated  
UN-No. (IMDG) : Not regulated

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated  
Proper Shipping Name (IMDG) : Not regulated

### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not regulated

**IMDG**  
Transport hazard class(es) (IMDG) : Not regulated

### 14.4. Packing group

Packing group (ADR) : Not regulated  
Packing group (IMDG) : Not regulated

### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

### 14.6. Special precautions for user

**Overland transport**  
Not regulated

# MPM Motor Oil 0W-20 Premium Synthetic EcoBlue

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Transport by sea

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### 15.1.2. National regulations

No additional information available.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

### Indication of changes

Section	Changed item	Change	Comments
	Adverse effects on the environment caused by endocrine disrupting properties	Added	
	Revision date	Modified	
	Supersedes	Modified	
2.2	EUH-statements	Modified	
3	Composition/information on ingredients	Modified	
6.1	General measures	Added	
6.1	Emergency procedures	Added	
6.1	Protective equipment	Modified	
6.1	Protective equipment	Modified	
7.2	Storage conditions	Added	
8.2	Technical measures	Added	
9.1	Viscosity, kinematic	Modified	
11.1	Reason for no classification	Added	
12.4	Soil	Added	
15.2	Chemical safety assessment	Added	
16	Training advice	Added	
16	Data sources	Added	
16	Abbreviations and acronyms	Added	
16	Other information	Added	

# MPM Motor Oil 0W-20 Premium Synthetic EcoBlue

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
ED	Endocrine disrupting properties
EC-No.	European Community number
vPvB	Very Persistent and Very Bioaccumulative
SDS	Safety Data Sheet
TRGS	Technical Rules for Hazardous Substances
TLM	Median Tolerance Limit
ThOD	Theoretical oxygen demand (ThOD)
STP	Sewage treatment plant
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
PBT	Persistent Bioaccumulative Toxic
OEL	Occupational Exposure Limit
OECD	Organisation for Economic Co-operation and Development
NOEC	No-Observed Effect Concentration
NOAEC	No-Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LD50	Median lethal dose
N.O.S.	Not Otherwise Specified
NOAEL	No-Observed Adverse Effect Level
LC50	Median lethal concentration
IOELV	Indicative Occupational Exposure Limit Value
IATA	International Air Transport Association
IARC	International Agency for Research on Cancer
IMDG	International Maritime Dangerous Goods
EN	European Standard

Data sources

: Supplier's safety documents. ECHA (European Chemicals Agency).

# MPM Motor Oil 0W-20 Premium Synthetic EcoBlue

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

### Full text of H- and EUH-statements

Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
EUH208	Contains: C14-16-18 Alkylphenol, Molybdeenpolysulfide-alkyl dithiocarbamaat longchain complex. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

### SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.