



58000 4-Stroke Motorcycle Oil 10W-60 Premium Synthetic Ester Racing

Document version: May 6, 2024



Description

MPM 4-Stroke Motorcycle Oil 10W-60 Premium Synthetic Ester is developed for air- and water-cooled 4-stroke motorcycle engines used in extremely heavy competition. This engine and gearboxes oil is specially developed for extreme conditions in competition use, due to its high viscosity and balanced composition. This oil can handle the toughest challenges. The advanced additive package in combination with the ester additives provides optimal protection for the engine. The multigrade engine oil has been developed for racing, road and off-road engines, but is also suitable for standard motorcycle engines where a SAE 10W-60 is required. The combination of exceptional anti-wear/anti-friction additives and the high lubricity of the blend increases performance, reduces oil consumption and extends engine life.

According to the specifications of

API SN
JASO MA2

Packaging units

ART. NR.	VOLUME	ITEMS PER UNIT	ITEMS PER PALLET
58001	1 L	6	450
58020	20 L	1	30
58060	60 L	1	6
58205	205 L	1	2
58999	1000 L	1	-

Standard analyses

TEST	VALUE		METHOD
Density at 15°C	0.857	kg/l	ASTM D4052
Colour	Red		VISUAL
Viscosity	10W-60		
Kinematic Viscosity at 40°C	163	mm ² /s	ASTM D445
Kinematic Viscosity at 100°C	24.0	mm ² /s	ASTM D445
Viscosity Index	179		ASTM D2270
Pourpoint	-45	°C	ASTM D7346
Total Base Number	7.3	mgKOH/g	ASTM D2896

These characteristics are typical of current production. Variations in these characteristics may occur.